

# **SAFETY DATA SHEET**

Revision Date 01-Aug-2018 Version 2

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

Product Name ISC CITRUS DEGREASER HQ
Product Code FLCDHQOOISC-CDHQ

Customer Code Not available

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended Use Degreaser

Use only as stated on label.

Details of the supplier of the safety data sheet

Manufactured For / Distributed By Inland Supply Co. 2820 Mill St.

2820 Mill St. Reno, NV 89502 Phone (800) 292-8528

E-Mail customerservice@inlandsupplyco.com

Emergency telephone number

24 Hour Emergency Phone Number: (800) 270-6809

# 2. HAZARDS IDENTIFICATION

# Classification

## **OSHA Regulatory Status**

This product has been classified in accordance with the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1
Flammable liquids	Category 3

# Label elements

Emergency Overview	
--------------------	--

# Warning

**Hazard statements** 

May be harmful if swallowed Causes skin irritation

Causes serious eye irritation
May cause an allergic skin reaction
Very toxic to aquatic life with long lasting effects

Flammable liquid and vapor



#### **Precautionary Statements - Prevention**

- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing should not be allowed out of the workplace
- Avoid release to the environment
- Keep away from heat/sparks/open flames/hot surfaces. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Use explosion-proof electrical/ventilating/lighting/equipment.

## **Precautionary Statements - Response**

- Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water.

In case of fire: Use CO2, dry chemical, or foam for extinction.

Collect spillage.

## **Precautionary Statements - Storage**

- Store in a well-ventilated place. Keep cool

## **Precautionary Statements - Disposal**

- Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Other Information
Unknown Acute Toxicity

7.8% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Orange Terpenes	5989-27-5	30-60	*
2-butoxyethanol	111-76-2	7-13	*
Alcohol Ethoxylate	68439-46-3	5-10	*
Alcohols, C10-16, Ethoxylated	68002-97-1	3-7	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures

General advice Immediate medical attention is required. In case of accident or unwellness, seek medical

advice immediately (show directions for use or safety data sheet if possible). If symptoms

persist, call a physician.

**Skin Contact** Wash off immediately with plenty of water. Wash contaminated clothing before reuse. If skin

irritation persists, call a physician. Wash off immediately with soap and plenty of water. Immediate medical attention is not required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Eye contact If symptoms persist, call a physician Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes Keep eye

wide open while rinsing

**Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Call a physician. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician. Move to fresh air in

case of accidental inhalation of vapors or decomposition products.

Ingestion Do NOT induce vomiting. Drink plenty of water. Rinse mouth. If symptoms persist, call a

physician. Clean mouth with water and drink afterwards plenty of water. Never give

anything by mouth to an unconscious person. Call a physician.

**Self-protection of the first aider** Remove all sources of ignition. Use personal protective equipment as required.

## Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

## Indication of any immediate medical attention and special treatment needed

**Note to physicians** May cause sensitization of susceptible persons. Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

#### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

<u>Protective equipment and precautions for firefighters</u> As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate

ventilation, especially in confined areas. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take

precautionary measures against static discharges.

#### **Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system.

#### Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert absorbent material. Take precautionary measures against static discharges.

#### 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Use with local exhaust ventilation. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat.

Incompatible materials

None known based on information supplied.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Guidelines** 

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
Monoethanolamine	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
141-43-5	TWA: 3 ppm	TWA: 6 mg/m <sup>3</sup>	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m <sup>3</sup>
		(vacated) TWA: 8 mg/m <sup>3</sup>	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m <sup>3</sup>
		(vacated) STEL: 15 mg/m <sup>3</sup>	
Diethanolamine	TWA: 1 mg/m³ inhalable fraction	(vacated) TWA: 3 ppm	TWA: 3 ppm
111-42-2	and vapor	(vacated) TWA: 15 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>
	S*		

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

### Appropriate engineering controls

**Engineering Controls** Showers, Eyewash stations & Ventilation systems

## Individual protection measures, such as personal protective equipment

Eye/face protection Skin and body protection Respiratory protection Tight sealing safety goggles. Face protection shield. No special technical protective measures are necessary.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene** When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Liquid **Physical state** Clear **Appearance** Orange Color Orange Odor

No Information available **Odor threshold** 

Remarks • Method <u>Values</u> **Property** 

10.0 - 11.0 pН **Specific Gravity** .93

Viscosity Water Thin

Melting point/freezing point No Information available

Flash point 54 °C 129 °F

Boiling point / boiling range No Information available Same as water

**Evaporation rate** 

Flammability (solid, gas) Flammability Limits in Air

No Information available Upper flammability limit: No Information available Lower flammability limit: Vapor pressure No Information available Vapor density No Information available Water solubility Miscible in water **Partition coefficient** No Information available **Autoignition temperature** No Information available **Decomposition temperature** No Information available

Other Information

Density Lbs/Gal 7.73 **VOC Content (%)** 50.5

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing. Conditions to avoid Heat, flames and sparks.

None known based on information supplied. Incompatible materials Hazardous Decomposition Products None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Inhalation No data available. Eye contact Severely irritating to eyes.

**Skin Contact** Irritating to skin.

Ingestion May be harmful if swallowed. Harmful if swallowed.

	Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Orange Terpenes = 4400 mg/kg (Rat) = 5200 mg/kg		> 5 g/kg (Rabbit)	-	
L	5989-27-5	(Rat) = 5300 mg/kg (Rat)		
2-butoxyethanol = 470 mg/kg (Rat)		= 99 mg/kg (Rabbit)	= 486 ppm (Rat) 4 h = 450 ppm (	
	111-76-2			Rat ) 4 h
	Diethanolamine	= 780 mg/kg (Rat) = 620 μL/kg (	= 11.9 mL/kg ( Rabbit ) = 7640	-

111-42-2	Rat )	ul./kg. ( Rabbit )	
111-42-2	rai)	μμ/κg ( καυυπ )	

# Information on toxicological effects

**Symptoms** No Information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No Information available.
No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Orange Terpenes 5989-27-5	-	Group 3	-	Х
2-butoxyethanol 111-76-2	А3	Group 3	•	-

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 -Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

STOT - repeated exposure

No Information available.

Chronic toxicity

Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure. May cause adverse effects on the bone marrow and blood-forming system. May

cause adverse liver effects.

Target organ effects Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory

system, Skin.

**Aspiration hazard** No Information available.

#### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 7.8% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Inhalation LC50 - 4 hour - vapor - mg/L

2-butoxyethanol 450 486

111-76-2 (7-13)

# 12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

#### **Ecotoxicity**

13.04% of the mixture consists of components(s) of unknown hazards to the aquatic environment

<u>Persistence and degradability</u> No Information available.

**Bioaccumulation** No Information available.

Chemical Name	Partition coefficient
2-butoxyethanol	0.81
111-76-2	

Other adverse effects No Information available

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Orange Terpenes 5989-27-5	Toxic

#### 14. TRANSPORT INFORMATION

**Note:** The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

## U.S. Department of Transportation (USDOT)

4x1 Gallon CaseNot regulatedPails & Drums (<119 Gallons)</th>Not regulated

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to DOT.

#### 15. REGULATORY INFORMATION

## **International Inventories**

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-butoxvethanol - 111-76-2	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Reactive Hazard No
Sudden release of pressure hazard No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Diethanolamine - 111-42-2	Carcinogen	

## **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Orange Terpenes 5989-27-5	X	-	-
2-butoxyethanol 111-76-2	X	X	X
Monoethanolamine 141-43-5	Х	X	X
Soybean Oil 8001-22-7	-	-	X
Diethanolamine 111-42-2	X	X	X

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

Additional information No Information available.

# **16. OTHER INFORMATION**

HMIS

Health hazards	Flammability	Physical hazards	Personal protection
2	2	0	В

Prepared By Regulatory Department

Revision Date 01-Aug-2018

Version

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet